

Cepheid Variables in the LMC and SMC

D.L. Welch¹, C. Alcock^{2,3}, R.A. Allsman⁴, D. Alves^{2,5,6}, T.S. Axelrod⁷,
A.C. Becker⁸, D.P. Bennett^{2,3,9}, K.H. Cook^{2,3}, K.C. Freeman⁷,
K. Griest^{3,10}, M.J. Lehner^{3,10,11}, D.W. Kurtz¹², S.L. Marshall^{2,3},
D. Minniti^{2,3}, B.A. Peterson⁷, M.R. Pratt^{3,8,13}, P.J. Quinn¹⁴,
A.W. Rodgers^{5,15}, A. Rorabeck¹, W. Sutherland¹⁶, A. Tomaney⁸, and
T. Vandehei^{3,10} (**The MACHO Collaboration**)

Abstract. In this paper, we will review major new results regarding classical Cepheids, in the Large Magellanic Cloud (LMC) and Small Mag-

¹Dept. of Physics & Astronomy, McMaster University, Hamilton, Ontario, L8S 4M1 Canada
E-mail: welch@physics.mcmaster.ca, rorabeck@glen-net.ca

²Lawrence Livermore National Laboratory, Livermore, CA 94550
E-mail: alcock, alves, dminniti, kcook, stuart@igpp.llnl.gov

³Center for Particle Astrophysics, University of California, Berkeley, CA 94720

⁴Supercomputing Facility, Australian National University, Canberra, ACT 0200, Australia
E-mail: robyn@macho.anu.edu.au

⁵Department of Physics, University of California, Davis, CA 95616

⁶Space Telescope Science Institute, 3700 San Martin Drive, Baltimore, MD 21218
E-mail: alves@stsci.edu

⁷Mt. Stromlo and Siding Spring Observatories, Australian National University, Weston Creek, ACT 2611, Australia E-mail: tsa, kcf, peterson@mso.anu.edu.au

⁸Departments of Astronomy and Physics, University of Washington, Seattle, WA 98195
E-mail: becker, austin@astro.washington.edu

⁹Physics Department, University of Notre Dame, Notre Dame, IN 46556
E-mail: bennett.27@nd.edu

¹⁰Department of Physics, University of California, San Diego, La Jolla, CA 92093
E-mail: kgriest, tvandehei@ucsd.edu

¹¹Department of Physics, University of Sheffield, Sheffield, S3 7RH, U.K.
E-mail: M.Lehner@sheffield.ac.uk

¹²Department of Astronomy, University of Cape Town, Rondebosch 7701, South Africa
E-mail: dkurtz@physci.uct.ac.za

¹³LIGO Project, MIT, Room 20B-145, Cambridge, MA 02139
E-mail: mrp@ligo.mit.edu

¹⁴European Southern Observatory, Karl-Schwarzschild Str. 2, D-85748, Garching, Germany
E-mail: pjq@eso.org

¹⁵Deceased.

¹⁶Department of Physics, University of Oxford, Oxford OX1 3RH, U.K.
E-mail: w.sutherland@physics.ox.ac.uk

ellanic Cloud (SMC). Specifically, we discuss recent work regarding multi-mode Cepheids and describe new observations of a W Vir star (HV 5756) and a Cepheid which are each in eclipsing binary systems. An additional interesting pulsating supergiant in an eclipsing system is also identified. Ephemerides for eclipses for the three systems are provided.

1. MACHO Project Status

The MACHO Project is a wide-field photometric survey whose primary goal is to characterize the mass of non-luminous or under-luminous matter along different lines-of-sight in the Milky Way galaxy. As of July 1998, observations span 2100 nights with over 75,000 images archived. Data collection has taken place essentially continuously since 1992, making this one of the most extensive data sets for variable stars obtained in the history of variable star astronomy. It is expected that similar observations will be obtained up until at least 1999 December 31. A relatively recent review of the results of the MACHO Project can be found in Cook *et al.* (1997).

2. Classical Cepheids

At present, the MACHO Project has identified 1767 classical and first-overtone Cepheids in the LMC. EROS has reported a total of 290 Cepheids in the LMC. Both groups agree that the fraction of first-overtone Cepheids is 30%. At shorter periods, the fundamental and first-overtone mode sequences are less distinct, suggesting the possibility of a range in masses and/or ages for these stars. Such a conclusion has been suggested by Bersier *et al.* (1998) and Alcock *et al.* (1999a).

3. Beat Cepheids

Alcock *et al.* (1999b) report some of the results found by Rorabeck (1997). The second-overtone lightcurve derived from 1st/2nd-overtone beat Cepheid lightcurves is found to be very sinusoidal. Beaulieu *et al.* (1997), Welch (1998), and Rorabeck (1997) have reported beat Cepheids in the SMC.

4. Eclipsing Cepheid Variables

We have discovered three Cepheid variables in eclipsing binary systems to date. Times of primary and secondary minima for these systems are given in Tables 1, 2, and 3, respectively.

1. *HV 5756* Our first reported discovery, HV 5756 (MACHO ID 78.6338.24) was reported in Welch *et al.* (1996). A total of six primary minima have been observed at this writing (Dec 1998). Furthermore, images from the Harvard College Observatory plate archives have now been obtained to search for historical minima.

2. 6.6454.5 A finder chart with suitable comparison stars is available at the URL:

<http://wwwmacho.mcmaster.ca/EclCep/>

Diluted lightcurve subtracted photometry is shown in Figure 1.

3. 5.4763.71 This system appears to contain a 4.69-day Cepheid with a slowly-varying amplitude and has an orbital period of 123.9 days. It is possibly a low-mass Cepheid (in between the tradition classifications of BL Her and W Vir variables). It is located at equinox J2000.0 coordinates 05:09:59.2 - 69:58:28. Both primary and secondary minima are visible in the lightcurve phased with the orbital period. The system is also remarkable in that secondary minimum appears to take place at an orbital phase of 0.55, indicating an eccentric orbit.

These systems are likely just the tip of the iceberg, since the hotter companions are usually more luminous than the pulsator and hence are easily selected.

Table 1. Eclipse Predictions for HV 5756

Primary			Secondary		
JD	UT		JD	UT	
2451122.6	1998 Nov	5.1	2451332.6	1999 Jun	3.1
2451542.6	1999 Dec	30.1	2451752.6	2000 Jul	27.1
2451962.6	2001 Feb	22.1	2452172.6	2001 Sep	20.1
2452382.6	2002 Apr	18.1	2452592.6	2002 Nov	14.1
2452802.6	2003 Jun	12.1	2453012.6	2004 Jan	8.1

Table 2. Eclipse Predictions for 6.6454.5

Primary			Secondary		
JD	UT		JD	UT	
2450867.06	1998 Feb	22.56	2451065.81	1998 Sep	9.31
2451264.56	1999 Mar	27.06	2451463.31	1999 Oct	11.81
2451662.06	2000 Apr	27.56	2451860.81	2000 Nov	12.31
2452059.56	2001 May	30.06	2452258.31	2001 Dec	14.81
2452457.06	2002 Jul	1.56	2452655.81	2003 Jan	16.31
2452854.56	2003 Aug	3.06	2453053.31	2004 Feb	17.81

Table 3. Eclipse Predictions for 5.4763.71

Primary			Secondary		
JD	UT		JD	UT	
2451270.40	1999 Apr	1.90	2451338.54	1999 Jun	9.04
2451394.30	1999 Aug	3.80	2451462.44	1999 Oct	10.94
2451518.20	1999 Dec	5.70	2451586.34	2000 Feb	11.85
2451642.10	2000 Apr	7.60	2451710.24	2000 Jun	14.75
2451766.00	2000 Aug	9.50	2451834.14	2000 Oct	16.65
2451889.90	2000 Dec	11.40	2451958.04	2001 Feb	17.54
2452013.80	2001 Apr	14.30	2452081.94	2001 Jun	21.44
2452137.70	2001 Aug	16.20	2452205.84	2001 Oct	23.35
2452261.60	2001 Dec	18.10	2452329.74	2002 Feb	24.25
2452385.50	2002 Apr	21.00	2452453.64	2002 Jun	28.15




Figure 1. Five consecutive primary minima of the system containing the 4.97-day classical Cepheid 6.6454.5 phased with an orbital period of 397.25 days. The scatter in the minima is not observational in origin but is due to the removal of the contaminated Cepheid lightcurve from the data. A full solution of the system is required to remove the variation during eclipse properly. An epoch of mid-eclipse is HJD 2449277.1. Primary eclipses typically last about 12 days.

Acknowledgments. Work performed at Lawrence Livermore National Laboratory (LLNL) is supported by the Department of Energy (DOE) under contract W7405-ENG-48. Work performed by the Center for Particle Astrophysics (CfPA) on the University of California campuses is supported in part by the Office of Science and Technology Centers of the National Science Foundation (NSF) under cooperative agreement AST-8809616. Work performed at MSO is supported by the Bilateral Science and Technology Program of the Australian Department of Industry, Technology and Regional Development. DLW and AJR were supported, in part, by a Research Grant from the Natural Sciences and Engineering Research Council of Canada (NSERC) during this work.

References

- Alcock, C. *et al.* 1999a, AJ, in press
- Alcock, C. *et al.* 1999b, ApJ, in press
- Beaulieu, J.-P. *et al.* 1997, A&A, 321, L5
- Bersier, D. 1998, A.S.P. Conf. Series, 135, 24
- Cook, K.H. *et al.* 1997, Proc. 12th I.A.P., 17
- Rorabeck, A. 1997, M.Sc. thesis, McMaster University
- Welch D.L., 1998, A.S.P. Conf. Series, 135, 355
- Welch D.L., *et al.* 1998, I.A.U. Circular 6802
- Welch D.L., *et al.* 1996, I.A.U. Circular 6434